
ROLE OF ROEMOSINE RMRLOGS AND GROWTH HORMONE IN MAKING AND SLEEP(U) ILLINOIS UNIV AT THE MEDICAL CENTER CHICAGO COLL OF MEDICINE. H RADULOVACKI 16 OCT 97 RFOSR-TR-87-1687 RFOSR-85-8349 F/8 6/15 AD-8187 897 1/1 UNCLASSIFIED



CURITY CLASS	ification of	THIS PAGE	unclassified					
	C. FII F		REPORT COM	D-A1	87 89	7	3	
APON SE	DATY CLASS	REATION TO	TIC		07 03	, —	(2)	
SECURITY C	unclassif	AUTHORITY	ECTERN	3. DETRIBUTION	AVALABILITY O	F REPORT		
OFO ASSER	ATION / DOW	HERADING SCHEDU		Approved	for public	release d	listribution	
		OH REPORT NUMBE	10 2 0 1901 A G	unlimite	_			
			aD □	Al Oak - I			:RG)	
e. NAME OF PERFORMING ORGANIZATION University of Illinois College of Medicine			6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION Air Force Office of Scientific Research N/L				
ADDRESS (C		ZIP Code)		7b. ADDRESS (City, State, and ZIP Code)				
P.O. Box 6 Chicago, I				Building 410 Bolling AFB, DC 20332-6448				
NAME OF F		NSORING	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMEN	T INSTRUMENT IC	ENTIFICATION	NUMBER	
AFOSR			NL	AFOSR-85-0349				
	ity, State, and	ZIP Code)		10. SOURCE OF FUNDING NUMBERS				
Building Bolling		20332-6448		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.	
1. TITLE Onclu				61102F	2312	A	.2	
Annual SUPPLEME	NTARY NOTA		OVERED 15/86 TO 9/15/87	october 10	u, 198/	L		
17.	COSATI			(Continue on reverse if necessary and identify by block number)				
FIELD	GROUP	SUB-GROUP	Adenosine, S stimulants a	Sleep, Adenosine receptors, Adenosine receptor and blockers				
The role document stimulan adenosing of adenosing the bing the administration that whose normechanism	of adenose the dose ts and 8-ce agonists sine. The lockade of chronic tration of following rmal role in that countries to the countries of the	sine in sleep response eff cyclopropylth s suggest that e data with Cf A receptor reatment of a caffeine "up deprivation is to blockuld be respon	has been further that been further ects of newly described to the eophylline (CPRT to to to A, and A, PRT point out the s. Densensitized denosine agonist regulates" A, rof REM sleep. Tadenosine recept sible for the in	r investigate veloped specification of aders L-PIA, NECE eceptors in his suggests ors during preased numbers of the control of	cific adenose tuted xanthicolay a role teffect of mosine A ₂ recall to the case of a constant of the existence of a denoted the case of	sine A ₁ and ine. The in the hy xanthines eceptors we coformyci ance of an and and and and and and and and and	d A2 receptor results with pnotic action is obtained as found follow m. Chronic manner similar "endocaffeine"	
29. DISTRIBUTION/AVAILABILITY OF ABSTRACT 21. ABSTRACT SECURITY CLASSIFICATION Unclassified						ICE SYMBOL		
	illiam O.			(202) 767	7-5021	- NL		
DO FORM 1	473, 84 MAR	83	APR edition may be used	until exhausted.	SECT-MI	TY CLASSIFICA	TION OF THIS PAGE	

2. Research Objectives

- A. Our first objective in determining the mechanism of hypnotic action of adenosines was to test the doseresponse effects on sleep of newly developed adenosine and A_2 receptor stimulants, i.e. N^6-1 -methylcyclopentyladenosine (RAO 119-A), N^6 -cyclopentyladenosine (CPA) and 2-(phenyl-amino) adenosine (CV-1808), respectively.
- B. Our second najor objective in determining the mechanism of hypnotic effects on sleep of 8-cyclopropyltheophylline (CPRT), a substituted xanthine which preferentially antagonises adenosine 1 receptors. Our objective was to find out whether blockade of A₁ receptors would increase waking, since xanthines block both A₁ and A₂ receptors.
- C. The third important objective in our research was to investigate the effect of chronic administration of adenosine agonists (1-PIA, NECA, dexoycoformycin) and non-specific antagonists (caffeine) on central Al and A2 receptors in rats. It was of interest to establish whether and in which brain structures adenosine receptors can be "down-regulated" or "up-regulated".

3. Status of Research

- When newly developed specific adenosine A_1 receptor Α. stimulants became available, we examined the dose response effects on sleep of methylcyclopentyladenosine (Rao 119-A), a specific A_1 receptor agonist (1). The various doses of the drug administered intraperitoneally to rats affected sleep stages differently and the data are in agreement with previously reported effects on sleep of adenosine receptor stimulants. Of the newly developed adenosine A₁ and A₂ receptor stimulants we tested the doseresponse effects on sleep in N⁶_cyclopentyladenosine (CPA), the most potent and selective adenosine A1 receptor agonist, and 2-(phenylamino) adenosine (CV-1808) the most selective adenosine A_2 receptor agonist. Both drugs were administered intraperitoneally to rats and the results suggest that both adenosine A₁ and A₂ receptors play a role in the hypnotic action of adenosine (2).
- B. In order to accomplish our second major objective we tested the dose-response effects on sleep of 8-cyclopropyltheophylline (CPRT) (3). Although a substituted xanthine, CPRT has been reported to have sedative and hypnotic effects in high doses. However, in reported experiments only gross behavioral measures

of sedation were employed. We found that CPRT produces biphasic and dose-dependent effects on sleep and wakefulness in rats. Thus, 20 and 40 mg/kg doses decreased sleep (an indirect evidence of a selective $\rm A_1$ receptor blockade) and 80 mg/kg dose (toxic) increased sleep.

In these experiments we have shown that selective blockade of A_1 receptors is able to produce a state of sustained wakefulness. The findings suggest that adenosinergic system, particularly A_1 receptors, play important role in sleep and wakefulness.

- C. Our third major objective was accomplished when
 - Maximally tolerated doses of N⁶-R-PIA (0.50 a. nmoles/hr/2 weeks) NECA (0.04 nmoles/hr/2 wk) or deoxycoformycin (DCF, 5 nmoles/hr/1 wk) were administered intracerebroventricularly to rats using ALZET mini-osmotic pumps. Adenosine receptor function was subsequently assayed using both ligand binding and adenylate cyclase assays. Binding to A₁ receptors was quantitated using $[^3H]R-PIA$, a selective agonist ligand at A_1 receptors. Differences in the binding of this ligand and that of $[^3H]$ NECA, which binds to A_1 and A2 receptors with similar affinities, were used to None of the treatments quantitate A_2 receptors. affected A_1 receptor function. A₂ receptor binding and A2 receptor mediated stimulation of adenylate cyclase were blunted in striatal membranes from NECA and DCF treated rats. The results suggest that only ${\bf A}_2$ receptors were desensitized following the treatment of adenosine agonists (4).
 - b. We administered to rats caffeine (75 mg/kg/day, i.p.) for 12 days and obtained a significant increase in high affinity [3 H]R-PIA binding in cerebral cortex (14%, p<0.02). [3 H]R-PIA minus [3 H]NECA binding for the estimation of A₂ receptors in striatum showed only an upward trend in B_{max}. The results show that chronic treatment with high doses of caffeine can selectively increase A₁ receptor population in cortex, while these doses have no effect on A₂ receptors. (5)

4. Written Publications

- 1. Radulovacki, M., Hajduk, P., Stefanovich, P. and Porter, N.: The effects of N⁶-1-Methylcyclopentyladenosine on sleep in rats. Res. Comm. Psych. Behav. 12(1) 1-8, 1987.
- 2. Porter, N.M., Stefanovich, P., Hajduk, P. and Radulovacki, M.: The effects of N⁶-cyclopentyladenosine and 2-(phenylamino) adenosine on sleep in rats. <u>Brain Res. Bull.</u> (submitted).
- 3. Virus, R.M. and Radulovacki, M.: Dose-response effects of 8-cyclopropyltheophylline on sleep and wakefulness in rats. <u>Psychopharmacology</u> (in press).
- 4. Porter, N.M., Radulovacki, M. and Green, R.D.: Desensitization of adenosine and dopamine receptors in rat brain following treatment with adenosine analogues.

 J. Pharmacol. Exp. Ther. (in press).
- 5. Dugich, M., Hawkins, M., Porter, N.M. and Radulovacki, M.: Effect of chronic caffeine administration on adenosine A₁, adenosine A₂ and benzodiazepine receptors in specific areas of the rat brain. Soc. Neurosci. Abstr. 13: (Part 2) 1346, 1987.

5. Professional Personnel

Marjorie Hawkins, M.D.
Robert M. Virus, Ph.D.
Nada Porter, Graduate Student
Millicent Dugich, Graduate Student
Phillip Hajduk, Undergraduate Student
Alex Radetich, Undergraduate Student
Peter Stefanovich, Medical Student

6. Interactions

Hawkins, M., M. Pravica, and M. Radulovacki: Effects of chronic administration of diazepam and RO-15-1788 on adenosine A_1 and A_2 receptors in the rat brain. Soc. Neurosci. Meeting, Nov. 9-14, 1986, Washington, D.C.

Glaum, S.R., G. Yanik, W. Pan, P. Hajduk and M. Radulovacki: Low doses of caffeine affect sleep composition in a manner opposite to that of adenosine analogs in rats. <u>Soc. Neurosci. Meeting</u>, Nov. 9-14, 1986, Washington, D.C.

Porter, N.M., F.M. Clark, R.D. Green and M. Radulovacki: Down-regulation of adenosine A₂ receptors is associated with an increase in deep slow wave sleep. <u>Soc. Neurosci. Meeting</u>, Nov. 9-14, Washington, D.C.

Radulovacki, M.: Adenosine compounds and sleep. International Symposium "Current Trends in Slow Wave Sleep Research', June 25-27, 1987, Beerse, Belgium. (a coorganizer)

Radulovacki, M.: Central adenosine receptors and sleep. Symposium on "Receptor Mechanisms in Sleep" 5th International Congress of Sleep Research, June 28-July 3, 1987, Copenhagen, Denmark, (invited speaker)



Accessor Fix	
NTIS CRADE V	:
United the design of	:
Justifuggion	
B y	•
Diado	
Ü.	
A-1	

LND DATE FILMED FEB. 1988